Knobbe Martens Olson & Bear LLP

Intellectual Property Law

One Sansome Street Suite 3500 San Francisco CA 94104 Tel 415-954-4114 Fax 415-954-4111 www.kmob.com

Bryan W. Wahl, M.D.

June 28, 2007

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Re:

Title: APPARATUS AND METHODS FOR TREATMENT OF MORBID

OBESITY

Letters Patent No. 7,037,344

Issued: May 2, 2006

Our Reference: VALTX.002A

Dear Sir:

Enclosed for filing is a Certificate of Correction in connection with the above-identified patent.

As the errors cited in the Certificate of Correction were incurred through the fault of the Patent Office, no fee is believed to be required. However, please charge our Deposit Account No. 11-1410 for any fees that may be incurred with this request.

Respectfully submitted,

Knobbe, Martens, Olson & Bear, LLP

Bryan Wahl

Registration No. 58,878

Customer No. 20,995

Enclosures

3936056 062707

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 7,037,344 B2

Page 1 of 1

APPLICATION NO.

: 10/699,589

ISSUE DATE

: May 2, 2006

INVENTOR(S)

: Jonathan Kagan, James Balliro, Mitchell Dann, Lee Guterman

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the first page, Col. 1 (Assignee), line 1 after "WY", please insert --83014--.

On the first page, Col. 2, (U.S. Patent Documents), line 7, after "6,595,911", please delete "B1" and insert --B2-- therefor.

In Col. 4, line 67, please delete "14" and insert --14%-- therefor.

In Col. 22, Claim 1, line 25, after "patient" please insert --, --.

In Col. 22, Claim 6, line 48, please delete "composes" and insert --comprises-- therefor.

In Col. 23, Claim 39, after "device" please insert --, --.

In Col. 24, Claim 28, line 8, please delete "walk" and insert --wall,-- therefor.

3185196 120606

MAILING ADDRESS OF SENDER:

Bryan Wahl KNOBBE, MARTENS, OLSON & BEAR, LLP 2040 Main Street, 14th Floor Irvine, California 92614

DOCKET NO. VALTX.002A